

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

【Fig. 1】

Fig.1A




Fig.1B




Fig.1C




Fig.1D




Fig.1E




Fig.1F






FIG. 2




THRESHOLD : 27.533nm
 (0.000, 0.000)-(4.034, 4.034)[μm]
 Ra : 1.049E+01nm P-V: 9.132E+01 nm
 Rms : 1.297E+01nm Δa : 2.273°
 Rz : 6.84E+01nm(10 POINT DATA)
 S : 1.699E+07nm² S RATIO : 1.036E+00
 ACTIVE FILE NAME : P6Ref004
 SAMPLE NAME : P6
 COMMENT : 1.0mm/sec
 SCAN AREA : 4.0495 x 4.0495 μm
 FORCE REF : -0.087 x 10⁻⁹N
 BIAS : 0.000 V
 0.0000nm 91.321nm


FIG. 3



THRESHOLD : 9.9488nm	0.0000nm	20.226nm
(0.000, 0.000)-(4.034, 4.034)[μm]	ACTIVE	FILE NAME : P6WLC003
Ra : 2.137E+00nm	P-V: 2.023E+01nm	SAMPLE NAME : P6
Rms : 2.613E+00nm	$\angle a$: 0.504°	COMMENT : 1.0mm/sec
Rz : 1.80E+01nm(10 POINT DATA)		SCAN AREA : 4.0495 x 4.0495 μm
S : 1.648E+07nm ²	S RATIO : 1.005E+00	FORCE REF : -0.087 x 10 ⁻⁹ N
		BIAS : 0.000 V

【Fig. 4】





【Fig. 6】




Fig. 6

【Fig. 7】




Fig. 7

【Fig. 8】




Fig. 8

【Fig. 9】




Fig. 9A




Fig. 9B




Fig. 9C




Fig. 9D




Fig. 9E




Fig. 9F




Fig. 10A




Fig. 10B




Fig. 10C




Fig. 10D

